

# PROCEEDINGS OF THE 37<sup>th</sup> MEETING OF STATE EIA AUTHORITY, ORISSA HELD ON 16<sup>th</sup> NOVEMBER, 2010

The 37<sup>th</sup> meeting of the State EIA Authority, Orissa was held on 16.11.2010 in the office chamber of the Chairman of State EIA Authority, Orissa, Bhubaneswar at 04.00 PM. Dr. C.R Das, Chairman chaired the meeting. The following members were present.

## Members Present

- |   |                           |
|---|---------------------------|
| 1. Dr. C.R. Das   | - Chairman, SEIAA         |
| 2. Er. P.C. Rath  | - Member, SEIAA           |
| 3. Shri Bhagirathi Behera, IFS<br>Director, Env. - cum-Spl. Secy. | - Member Secretary, SEIAA |

The following issues were discussed and decisions taken as under.

1. Minutes of the previous meeting was confirmed.

## 2. Agenda Item No-1

The following 8 (eight) proposals received by the SEIAA were discussed and decisions taken as under.

Sl. No	Proposal No.	Name of Project	Name of the Proponent	Whether details provided are ok for sending it to SEAC (See check list)	Decision taken by SEIAA
1	220	Proposal for EC for increase of production of Chromite sand from 800 MTPA to 9600 MTPA insulating grog from 400 MTPA to 2,400 MTPA and production of Graded river sand of 4.800 MTPA from the Chromite ore beneficiation unit of M/s Bell Mountain Company at village Pimplimal in the district of Sundargarh.	Mrs. Renu Agarwal, M/s Bell Mountain Company, At-Kudaloi, Po-Belpahar, Dist-Jharsuguda	Yes	Be sent to SEAC for appraisal
2	221	Proposal for EC for proposed (175+3X27) MW captive thermal power plant of Bhushan Steel Ltd. at Meramandali in the district of Dhenkanal	M/s Bhushan Steel Ltd., Mr. Sanjeev Kapoor, 41-HIG, BDA, Jaydev Vihar, Bhubaneswar	Yes	Be sent to SEAC indicating that there are 3 (three) proposals given by the proponents at the same place. The SEAC may appraise the proposal also taking in to the others together.

Sl. No	Proposal No.	Name of Project	Name of the Proponent	Whether details provided are ok for sending it to SEAC (See check list)	Decision taken by SEIAA
3	223	Proposal for EC for construction of housing colony and shopping mall project at Kalarahanga, Bhubaneswar of M/s Z Estates Pvt. Ltd.	Z Estates Pvt. Ltd. M4/34, Acharya Vihar, Bhubaneswar-751013	Yes	The information and drawings furnished, especially against comments made in general at 5 drawings are inadequate to appraise the proposal. Ask the proponent to furnish details.
4	224	Proposal for EC for construction of Hi-tech Medical College & Hospital Project at Rourkela in the district of Sundargarh	Dr. Tirupati Panigrahi Vigyan Bharati Charitable Trust, Plot No-A/170, Saheed Nagar, Bhubaneswar	Yes	Be sent to SEAC for appraisal
5	225	Proposal for E.C for production of quartzite ore 1.5 lakh TPA over an area 19.263 ha. at Sarupatal & Nayabandh in Keonjhar district.	Sri B.K Mohanty Plot No-N-3/349, IRC Village, Nayapalli, Bhubaneswar	Yes	Be sent to SEAC for appraisal
6	226	Proposal for EC for chrome ore beneficiation plant at village Hentasura in the district of Balasore of Bindu Minerals & Metals	Mr. Bijay Kumar Das, M/s Bindu Minerals & Metals, At-Plot No-737/13, Jayadev Vihar, Bhubaneswar-751013	Yes	The proponent has not given their mail ID/Telephone no or other contact no. Let us ask for the same immediately before we send it to SEAC. Intimate the proponent that this could not be processed in absence of the contact no.
7	227	Proposal for EC for Mahendratanya Barrage project at village Dambapur in the district of Gajapati.	The Executive Engineer Chikiti Irrigation Division, Berhampur	Yes	Be sent to SEAC for appraisal
8	228	Proposal for EC for proposed 1.5 MTPA cement grinding unit at village Ghantikhal / Radheyshampur in the district of Cuttack.	JK Lakshmi Cement Ltd. Jaykypurm, Dist- Sirohi, Rajasthan-110092	Yes	Be sent to SEAC for appraisal

### 3. Agenda Item No-2

The following 2 (two) numbers of proposals have been received by SEIAA, Orissa for grant of final EC as recommended by SEAC. Placed for consideration of the SEIAA for further action.

Sl. No.	Proposal No.	Name of the project	Name of the Proponent	Present position (See checklist)	Decision taken by SEIAA
1	105	Proposal for construction of barrage across river Sono in Budhabalang basin near village Jaida in Kaptipada subdivision in Mayurbhanj district.	Er. Harish Chandra Behera EIC, Planning & Design, Water Resource, Sechasadan, Bhubaneswar	SEAC has recommended for grant of environmental clearance	SEAC may be asked to clarify on condition 14 vis-à-vis the exemption from EIA & EMP studies/ report.
2	131	Proposal for construction of Arjunanalla Minor Irrigation project at Digapahandi block in the district of Ganjam	The Executive Engineer, M.I Division, Ganjam – I, Berhampur – 10 Dist-Ganjam	SEAC has recommended for grant of environmental clearance.	SEAC may be asked to clarify on condition 14 vis-à-vis the exemption from EIA & EMP studies/ report.

### 4. Agenda Item No. 3

Consideration of Multi Specialty Hospital Project, (AMRI)

Sl. No.	Proposal No.	Name of the project	Name of the Proponent	Present position (See checklist)	Decision taken by SEIAA
1	5	Hospital (Building construction project) having built of area of 37,458 Sqmt. (AMRI).	A Multi specialty Hospital, (AMRI) Bhubaneswar-B/13-14, Plot No. 1. (PT), Under Khata No -276, Under Bhubaneswar Municipal Corporation, PS-Khandagiri-751030	The proponent has been requested to clarify on the actual built up area to furnish necessary documents and drawing of the building and to furnish a list of hazards wastes likely to be generated after commencement of the project. In response, the proponent have furnished a list of hazards wastes to be generated along with drawings of the buildings and built up area.	1) The documents be sent to SEAC for appraisal along with other earlier documents submitted by the firm. All correspondence be also sent to SEAC. 2) The proponent be intimated that the case in under consideration after receipt of the documents. 3) The Govt. may be intimated about the violation of the act by the proponent for action as in other cases.

The meeting ended with a vote of thanks to the Chair.