



## STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, (SEIAA), ORISSA.

(Constituted vide order No. S.O. 2674 (E) Date 17<sup>th</sup> Nov. 2008 of Ministry of Environment & Forest, Govt. of India, Under Environment Protection Act, 1986.) Qr. No. 5RF-2/1, Unit-IX, Bhubaneswar-751022  
[E-mail-seiaaorissa@gmail.com](mailto:E-mail-seiaaorissa@gmail.com), Website - [www.orissaseiaa.gov.in](http://www.orissaseiaa.gov.in)

Ref. No. \_\_\_\_\_

Dt. \_\_\_\_\_

**SEIAA-171/10**

From

Shri Bhagirathi Behera, IFS  
Director, Env. –cum-Spl.  
Secy. to Government,  
F&E Department  
& Member Secretary SEIAA, Bhubaneswar.

To

The Executive Engineer  
Minor Irrigation Division, Rayagada  
Dist-Rayagada, Orissa

Sub: Environmental Clearance for construction of Jagamguda Minor Irrigation Project in Koraput block of Koraput district.

Sir,

With reference to your letter no 5461 dated 18.08.2010 along with Form-1 of application for Terms of Reference (ToR) and subsequent letter no 6900 dated 18.10.2010 for Environmental Clearance on the above mentioned subject, I am directed to say that the State Environmental Impact Assessment Authority, Orissa considered the application on the proposal for construction of Jagamguda Minor Irrigation project in Koraput block of Koraput district.

Jagamguda Minor Irrigation Project is a reservoir scheme project going to be constructed across the Baghara Nalla near the village Bagharaguda of Koraput district with a culturable command area is sixty seven ha. There is a sub-mergency of 63.67 ha. land and no displacement of people . The area is mostly inhabited by ST, SC, small and marginal farmers. The local people entirely depend on the Vagaries of nature for agriculture. There is no irrigation facility and as such the people are deprived of getting irrigation, although this stream is flowing by the side of their locality. Hence, there is a big demand from local people for construction of a minor irrigation project. A diversion proposal for acquisition of 0.42 ha. of forest land has already been initiated. The leaving as well as financial standard of the inhabitants of this area will improve soon after the construction of this project. There will be no environmental impact during execution or after completion of this irrigation project. The executive engineer M.I Division, Rayagada of the project submitted filled-in application Form-1 and Pre-feasibility report and assistant engineer, M.I Division, Rayagada presented the project. The SEAC considered the

project under category-B2 and exempted it from EIA/EMP studies / reports and recommended for grant of Environmental Clearance.

Based on the information documents and clarifications provided by you, the State Environment Impact Assessment Authority, Orissa hereby accords Environmental Clearance in favour of the projects under the provisions EIA Notification, 2006 and Notification, 2009 and subsequent amendment thereto under various MOEF, Govt. of India circulars thereunder with the following stipulated conditions.

**Stipulated conditions:-**

1. This environmental clearance is valid for a period of 10 years from the date of issue of EC.
2. The project proponent shall submit review report on the status of compliance of the stipulated EC conditions including results of monitored data if any (both in hard copies as well as by e-mail) to the SEIAA after 5 years.
3. Occurrence of stagnant pools /slow moving water channels during construction and operation of the project providing breeding source for vector mosquitoes and other parasites may be avoided. The water should be properly channelized so that no small pool and poodles are allowed to be formed. Even after taking due precautions, due to unforeseen situations, breeding of mosquitoes and resultant malaria or mosquitoes borne diseases can increase. If such a situation arises, it will be the responsibility of project authorities to take all steps, i.e. spraying of insecticides in all the affected / likely to be affected project area and surrounding 3 km. area, keeping the flight range of mosquitoes in consideration.
4. Statutory Clearance from any other Authority, if required should be obtained as and when required.
5. Adequate free fuel arrangement should be made for the labour force engaged in the construction work at project cost so that indiscriminate felling of trees is prevented.
6. Medical facilities should also be provided to the labourers, staying at the project sites.
7. All the labourers to be engaged for construction works should be thoroughly examined by health care personnel from time to time and adequately treated if necessary, First-aid medical facilities should be provided at the project site.
8. All the equipment which are likely to generate high noise levels are to be fully modified (noise reduction measures).
9. Consolidation and compilation of the muck should be carried out in the muck dump sites and the dump sites should be above high flood level.
10. Adequate financial provision should be made in the total budget of the project for implementation of the environmental safeguard measures.
11. The responsibility of implementation of environmental safeguards rests fully with the project proponent.
12. The project proponent would take adequate measures to ensure that the PM in ambient air quality is within the prescribed limit.
13. Adequate steps shall be taken by the project proponent to project flora and fauna of the project area.

14. A quick EIA with EMP may be undertaken after the present monsoon recedes completely and submitted as soon as possible bringing out the present baseline data and possible environmental impacts in the long run such as Air, Water, Soil and primary socio economic condition.
15. Survey of flora and fauna along with conservation measures including peripheral soil conservation measures to avoid extensive siltation, should be done by a competent body.
16. Forest submergence clearance from concerned offices is submitted before the actual construction is started.
17. In case of change in the scope of the project or implementation, it would require a fresh appraisal.
18. The proponent will plant sufficient number of trees along the canal embankments.
19. Survey of flora and fauna along with conservation measures including peripheral soil conservation measures to avoid extensive siltation, should be done by a competent body.
20. Forest submergence clearance from concerned offices is submitted before the actual construction is started.
21. The SEIAA reserves the right to add additional safeguard measures subsequently, if found necessary.

**Member Secretary**

**Memo No.** \_\_\_\_\_

**Dt.** \_\_\_\_\_

Copy to:

1. Ministry of Environment & Forests Govt. of India, Paryavaran Bhawan, C.G.O. Complex, Lodhi Road, New Delhi-110003 for kind information.
2. Principal Secretary to Govt., Forests & Environment Dept. Orissa for kind information.
3. Chairman, State Pollution Control Board, Paribesh Bhawan, A/118, Nilakantha Nagar, Unit-8, BBSR for kind information.
4. Chief Conservator of Forests, Regional Office (EZ), Ministry of Environment & Forests, A-31, Government of India, Chandra Sekharpur, Bhubaneswar for kind information.
5. Chairman, Central Pollution Control Board, CBD-cum-office Complex, East Arjun Nagar, New Delhi, 110032 for kind information.
6. The District Collector & Magistrate, Koraput for kind information and necessary action.
7. Copy forwarded to the Chairman/ Member Secy. / Member, SEIAA for kind information.
8. Chairman, SEAC/Secretary, SEAC, Paribesh Bhawan, A/118, Nilakantha Nagar, Unit-VIII, Bhubaneswar for kind information.
9. Guard file for records.

**Member Secretary**